

Amendments to the claims:

Please replace all prior versions and listings of the claims with the following amended claims:

Listing of Claims:

- 1 1. (Currently Amended) A device comprising a cleaning head, the cleaning head
2 comprising:
 - 3 a) a first region with a first squeegee element with elongated walls that protrude to
4 form an elongated wiping edge configured to treat a working surface, the first
5 region being configured to move; and
 - 6 b) a second region with bristles configured to simultaneously treat the working
7 surface,
8 the second region being configured to move independently of the first region.
- 1 2. (Original) The device of claim 1, wherein the second region further comprises a second
2 squeegee element.
- 1 3. (Original) The device of claim 1, wherein the first region further comprises bristles.
- 1 4. (Previously Presented) The device of claim 1, wherein the at least one of the first region
2 and second region is configured to rotate or oscillate.
- 1 5. (Withdrawn) The device of claim 1, wherein the first squeegee element comprises top
2 wiping squeegee edges and side wiping squeegee edges.
- 1 6. (Original) The device of claim 1, wherein the first squeegee element comprises a
2 squeegee wall that encircles an inner squeegee region.
- 1 7. (Original) The device of claim 1, wherein the second region comprises a second squeegee
2 element.

- 1 8. (Withdrawn) The device of claim 7, wherein the second squeegee element comprise top
2 wiping edges and side wiping edges.
- 1 9. (Withdrawn) The device of claim 1, further comprising a motorized handle configured to
2 detachably couple the cleaning head.
- 1 10. (Withdrawn) The device of claim 1, wherein a portion of the first squeegee element is
2 corrugated, rounded, angled or pointed.
- 1 11. (Withdrawn) The device of claim 1, further comprising nodules protruding from the
2 cleaning head.
- 1 12. (Currently Amended) A device comprising a motorized cleaning head, the motorized
2 cleaning head comprising:
3 a) a first region configured to move in a first direction, the first region comprising:
4 i. a squeegee member with elongated squeegee walls that protrude to
5 from an elongated wiping edge; and
6 ii. bristles flanking the elongated walls; and
7 b) a second region configured to move in a second direction, the second region
8 comprising a portion of the bristles.
- 1 13. (Currently Amended) The device of claim 12, wherein the elongated squeegee ~~wall~~ is
2 walls are curved.
- 1 14. (Currently Amended) The device of claim 12, wherein the [[the]] first region is
2 configured to rotate or oscillate.
- 1 15. (Withdrawn) The device of claim 12, wherein one or more of the plurality of fin
2 structures are curved.
- 1 16. (Currently Amended) The device of claim 12, wherein the elongated squeegee ~~wall~~
2 encircles walls encircle at least a portion of the bristles.

- 1 17. (Currently Amended) The device of claim 12, wherein the elongated squeegee ~~wall is~~
2 walls are surrounded by at least a portion of the bristles.
- 1 18. (Withdrawn) The device of claim 12, further comprising nodules.
- 1 19. (Previously Presented) The device of claim 12, wherein the second region is configured to
2 rotate or oscillate.
- 1 20. (Currently Amended) A cleaning device comprising:
2 a) a first section configured to automatically rotate or oscillate; and
3 b) a second section surrounding the first section configured to automatically rotate or
4 oscillate at a rate or direction that is different from that of the first section,
5 wherein the first and the second sections comprise bristles.
- 1 21. (Original) The device of claim 20, further comprising one or more squeegee wiping
2 elements.
- 1 22. (Withdrawn) The device of claim 20, further comprising one or more nodules.
- 1 23. (Withdrawn) The device of claim 20, further comprising a handle.
- 1 24. (Withdrawn) The device of claim 23, wherein the handle is configured to detachably
2 couple to the first section and the second section.
- 1 25. (Previously Presented) A device comprising a cleaning head comprising:
2 a) a first wiping region; and
3 b) a second wiping region, wherein the first wiping region surrounds the second
4 wiping region and the first wiping region and the second wiping section are
5 configured to automatically move independently from each other, wherein at least
6 one of the first wiping region and the second wiping region comprises a squeegee
7 element.

- 1 26. (Currently Amended) A device comprising a cleaning head, the cleaning head
2 comprising:
3 a) a first region with a first squeegee element with an elongated wiping edge and
4 elongated walls and bristles configured to treat a working surface ~~the first region~~
5 ~~being configured to move~~; and
6 b) a second region with bristles configured simultaneously treat the working surface;
7 ~~wherein at least one of the first region and the second region is being configured to move~~
8 ~~independently of the other of the first region and the second region; and~~
9 c) means to couple the cleaning head to a motorized handle that automatically moves
10 the first region.

- 1 27. (Previously Presented) The device of claim 26, wherein the second region further
2 comprises a second squeegee element.

- 1 28. (Currently Amended) A device comprising a cleaning head, the cleaning head
2 comprising:
3 a) a first region with a first squeegee element comprising a continuous wiping edge
4 configured to treat a working surface the first region being configured to move;
5 and
6 b) a second region with a second squeegee element configured simultaneously treat
7 the working surface,
8 wherein at least one of the first region and the second region is being configured to move
9 independently of the other of the first region and the second region.

- 1 29. (Currently Amended) The device of claim 28, wherein the first region further comprises
2 bristles ~~element~~.

- 1 30. (Previously Presented) The device of claim 29, wherein the second region further
2 comprises bristles.

- 1 31. (Currently Amended) An electric toothbrush with a cleaning head, the cleaning head
2 comprising:

- 3 a) a first region with a continuous squeegee element that encircles a portion of the
4 first region, wherein the first region is configured to rotate or oscillate; and
5 b) bristle surrounding at least a portion first continuous squeegee element, wherein
6 the bristles are configured to rotate or oscillate.

1 32. (Previously Presented) The electric toothbrush of claim 31, further comprising bristles
2 protruding from the portion of the first region that is encircled by the continuous squeegee
 element.

1 33. (New) An electric toothbrush with a cleaning head, the cleaning head comprising:
2 a) a first region with a continuous squeegee element that encircles bristles that
3 protrude from the first region and wherein the first region is configured to rotate
4 or oscillate; and
5 b) a second region configured to automatically move independently from the first
6 region, the second region comprising at least one of a squeegee, bristle tufts and
 nodules.